
RSN11 END TRUCK

For single and double girder cranes




The wheel loads listed are only a guideline. The max. wheel load listed is based on the structural integrity of the frame and load placement, and it does not take into account permissible wheel loading or bearing life. SG load placement is at the center, and DG load placement is for a trolley gage of 1200 mm [47 1/4*].

The permissible dynamic wheel load listed is based on assumptions that the bridge speed is 40 m/min [130 fpm], end truck duty is Fem 2m, and the runway rail as listed.

The actual wheel load should not exceed the permissible wheel load. If the permissible dynamic wheel load is greater than the maximum dyn wheel load, then the actual wheel load cannot exceed maximum dyn wheel load.

Dynamic wheel = 1.15 x static wheel load



D004907-A 1

5.2

4.06

3.84

				SG	DG		Permissible dyn wheel load			
SS	Н	H1	WT	Max dyn whl load	WT	Max dyn whl load	ASCE 30	ASCE 40	2" SQ BAR	
[in] (mm)	[in]	[in]	[lb]	[lb]	[lb]	[lb]	[lb]	[lb]	[lb]	
63 (1600)	9.96	0.59	337	10350	395	10350	6236	7167	9212	
78.74 (2000)	9.96	0.59	388	10350	445	10350	6236	7167	9212	
98.43 (2500)	9.96	0.59	450	10350	507	10350	6236	7167	9212	
124 (3150)	9.96	0.59	531	10350	588	10350	6236	7167	9212	

L = SS + 10.87" + 2*L1

Available only with ductile iron wheel.

UU = 2.04"...3.23"

End truck is compatible with the GES3 gear motor and can be equipped with a second gear motor when requested.

If the crane speed is faster, the duty group is more severe, or the actual runway rail is narrower, then the maximum allowable dynamic wheel load must be re-evaluated.

	Suitable buffers						
Code	D1 [in]	L1 [in]					
Α	2.48	2.09					
В	3.15	2.68 3.35 3.15 3.94					
С	3.94						
K	3.15						
G	3.94						
E	3.94	5.91					
A, B, C: Rubber							
K, G, E: Polyurethance							

2007-03-27

EBN11

		•									
						ETTVPH	ETTVPH			EBN11	
					Design	Chd	Appd	Ref Drawing	LDIVII		
					2007-03-27	END TRUCK €				€	
						Date	END IKUCI	`			
Sav Explanation Date Sevined by Checked by SEQUOCV								1:6			
		axplanation	Date	Revised by	Checked by	Owner Dept	KSIVII				Folder
	This document is the absolute property of R&M Materials Handling, Inc.								EBN11		
	Ins occument is the absolute property or Koam Materias Handling, Inc. This document must not be copied without the written permission of RRM Materials Handling, Inc.										
- 1	The contents thereof must not be disclosed to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.							Issue			
	MITTERNAL MARQUE: D004907-A								08/2025		
	V V							1.,			