




Normal Headroom - Straight Track, 2 PART SINGLE

Hoist type:

SXR3 021..N

SI



Flange Width B-dimension [mm]	Headroom C-Dimension				
	Case 1 [mm]	Case 2 [mm]	Case 3 [mm]	Case 4 [mm]	Case 5 [mm]
100 - 450	817	947	1007	842	947
Case 1: Steel rope without HS22 limit switch					
Case 2: Steel rope with HS22 limit switch					
Case 3: Steel rope with HS22 L.S. & Rope angle sensor					
Case 4: Synthetic rope with HS22 limit switch					
Case 5: Synthetic rope with HS22 L.S. & Rope angle sensor					
HS22 limit switch mandatory with synthetic rope					

HOL (m)	Length code	H2 (mm)	L1 (mm)	Estimated weight (kg)
13	B	195	544	358
18	C	271	695	372

Load (kg)	Class Fem/ISO	Class ASME
1000	3m/M6	H4+
1250	3m/M6	H4+
1600	2m/M5	H4

This document is the absolute property of R&M Materials Handling, Inc. This document must not be copied without the written permission of R&M Materials Handling, Inc. The contents thereof must not be disclosed to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.

Design	Chd	Appd	Ref Drawing	R3-N-02
Date	NORMAL HEADROOM HOIST			1:10
SLEOMECE Owner/Dept	FOR STRAIGHT TRACK			Folder
2 PART SINGLE				Issue
R3021_N				1

